

	Hits	Search Text	DBs
1	2	keyboard and (self near2 defini\$4 near2 key)	USPAT; US-PGPUB
2	1	keyboard and (self near2 defini\$4 near2 key)	EPO; JPO; DERWENT; IBM_TDB
3	3	keyboard and (relegendable near5 keyswitch)	USPAT; US-PGPUB
4	0	keyboard and (relegendable near5 keyswitch)	EPO; JPO; DERWENT; IBM_TDB
5	10	keyboard and (non\$2standard near5 key)	EPO; JPO; DERWENT; IBM_TDB
6	0	keyboard and (multifunctional near4 key near4 position)	USPAT; US-PGPUB
7	6341	keyboard and (key near4 position)	USPAT; US-PGPUB
8	0	keyboard and (multifunctional with (key near4 position))	USPAT; US-PGPUB
9	0	(keyboard and (key near4 position)) and ((inscription legend) near5 on near5 keycap)	USPAT; US-PGPUB
10	970	(keyboard and (key near4 position)) and (ident\$6 near5 (character function))	USPAT; US-PGPUB
11	242	((keyboard and (key near4 position)) and (ident\$6 near5 (character function))) and pin	USPAT; US-PGPUB
12	184	((((keyboard and (key near4 position)) and (ident\$6 near5 (character function))) and pin ) and location	USPAT; US-PGPUB
13	4	(keyboard and (key near4 position)) and (multibit near5 binary near5 code)	USPAT; US-PGPUB
14	13	(keyboard and (key near4 position)) and ((inscription legend) with keycap)	USPAT; US-PGPUB
15	1	((((keyboard and (key near4 position)) and (ident\$6 near5 (character function))) and pin ) and location) and (multibit near5 binary near5 code)	USPAT; US-PGPUB
16	0	(keyboard and (key near4 position)) and (multibit near5 binary near5 code)	EPO; JPO; DERWENT; IBM_TDB
17	34	((((keyboard and (key near4 position)) and (ident\$6 near5 (character function))) and pin ) and location) and (binary near5 code)	USPAT; US-PGPUB
18	533	keyboard and (key adj (data identifier))	EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
19	0	(keyboard and (key adj (data identifier))) and (multibit near5 binary near5 code)	EPO; JPO; DERWENT; IBM_TDB
20	1	(keyboard and (key adj (data identifier))) and (binary near5 code)	EPO; JPO; DERWENT; IBM_TDB
21	0	(keyboard and (key adj (data identifier))) and (binary near5 code)	USPAT; US-PGPUB
22	0	(keyboard and (key adj (data identifier))) and (multibit near5 binary near5 code)	USPAT; US-PGPUB
23	0	(keyboard and (key adj (data identifier))) and (binary with code)	USPAT; US-PGPUB
24	2822	keyboard and (key adj (data identifier))	USPAT; US-PGPUB
25	3	(keyboard and (key adj (data identifier))) and (multibit near5 binary near5 code)	USPAT; US-PGPUB
26	236	(keyboard and (key adj (data identifier))) and (binary near5 code)	USPAT; US-PGPUB
27	156	(keyboard and (key adj (data identifier))) and (binary adj code)	USPAT; US-PGPUB
28	2	(keyboard and (key adj (data identifier))) and (multibit adj binary adj code)	USPAT; US-PGPUB
29	556	keyboard with (key adj (data identifier))	USPAT; US-PGPUB
30	0	(keyboard with (key adj (data identifier))) with (binary adj code)	USPAT; US-PGPUB
31	37	(keyboard with (key adj (data identifier))) and (binary adj code)	USPAT; US-PGPUB
32	341	keyboard near3 (disabled invalid)	USPAT; US-PGPUB
33	0	(keyboard near3 (disabled invalid)) with (binary adj code)	USPAT; US-PGPUB
34	1	(keyboard near3 (disabled invalid)) and (multibit adj binary adj code)	USPAT; US-PGPUB
35	2	(keyboard near3 (disabled invalid)) and (self adj defin\$5 adj key)	USPAT; US-PGPUB
36	0	(keyboard near3 (disabled invalid)) and (self adj defin\$5 adj key)	EPO; JPO; DERWENT; IBM_TDB
37	13	(keyboard near3 (disabled invalid)) and (keyboard with (key adj (data identifier)))	USPAT; US-PGPUB
38	0	keyboard adj for adj (disabled invalid)	USPAT; US-PGPUB
39	0	keyboard adj for adj (disabled invalid)	EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
40	83	keyboard near3 (disabled invalid)	EPO; JPO; DERWENT; IBM_TDB
41	0	keyboard and (self\$1idetifi\$6 adj key)	USPAT; US-PGPUB
42	2	keyboard and (self adj defin\$4 adj key)	USPAT; US-PGPUB
43	1	keyboard and (self adj defin\$4 adj key)	EPO; JPO; DERWENT; IBM_TDB
44	4	keyboard and (self near5 defin\$4 near5 key)	EPO; JPO; DERWENT; IBM_TDB
45	6	keyboard and (self near5 defin\$4 near5 key)	USPAT; US-PGPUB
46	2313	keyboard and (key`adj code)	USPAT; US-PGPUB
47	0	keyboard and (multibit adj binary adj key adj code)	USPAT; US-PGPUB
48	3	keyboard and (bit adj binary adj key adj code)	USPAT; US-PGPUB
49	19	keyboard and ( binary adj key adj code)	USPAT; US-PGPUB
50	0	(keyboard and (key adj (data identifier))) and (serial adj binary adj code)	USPAT; US-PGPUB
51	15	(keyboard) and (serial adj binary adj code)	USPAT; US-PGPUB
52	0	(keyboard) with (serial adj binary adj code)	USPAT; US-PGPUB
53	1	(keyboard) same (serial adj binary adj code)	USPAT; US-PGPUB
54	8	(keyboard and (key near4 position)) and (ident\$6 near5 (character function)) and (capacitive adj switches)	USPAT; US-PGPUB
55	1	4712092.pn.	USPAT; US-PGPUB
56	8	4712092.URPN.	USPAT
57	8	4712092.URPN.	USPAT
58	113	keyboard and (removable adj3 (key button))	USPAT; US-PGPUB
59	28	keyboard with (removable adj3 (key button))	USPAT; US-PGPUB
60	15	keyboard same (removable adj (key button))	USPAT; US-PGPUB